

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	338	color with measur\$6 with(users or gui or interfac\$3 or interactive\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 20:42
S2	165	color near3 measur\$6 with(users or gui or interfac\$3 or interactive\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 20:43
S3	0	color near3 measur\$6 near2 instrumjnt\$1 with(users or gui or interfac\$3 or interactive\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 20:44
S4	13	color near3 measur\$6 near2 instrument\$1 with(users or gui or interfac\$3 or interactive\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 20:45
S5	6	color near3 measur\$6 near2 instrument\$1 with(users or gui or interfac\$3 or interactive\$2)and (network or internet or wan or lan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 20:49
S6	67	color near3 measur\$6 with(users or gui or interfac\$3 or interactive\$2)and (network or internet or wan or lan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 20:49
S7	10	(standard or standardize\$1 or standardization\$1)same color near3 measur\$6 with(users or gui or interfac\$3 or interactive\$2)and (network or internet or wan or lan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 20:55
S8	10	(restandard\$9 or standard or standardize\$1 or standardization\$1)same color near3 measur\$6 with(users or gui or interfac\$3 or interactive\$2)and (network or internet or wan or lan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 20:55
S9	1	delta and (restandard\$9 or standard or standardize\$1 or standardization\$1)same color near3 measur\$6 with(users or gui or interfac\$3 or interactive\$2)and (network or internet or wan or lan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 20:55

S10	8	calibrat\$5 and (restandard\$9 or standard or standardize\$1 or standardization\$1)same color near3 measur\$6 with(users or gui or interfac\$3 or interactive\$2)and (network or internet or wan or lan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 20:57
S11	1	(first) near6 calibrat\$5 and (restandard\$9 or standard or standardize\$1 or standardization\$1)same color near3 measur\$6 with(users or gui or interfac\$3 or interactive\$2)and (network or internet or wan or lan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 20:57
S12	8	calibrat\$5 and (restandard\$9 or standard or standardize\$1 or standardization\$1)same color near3 measur\$6 with(users or gui or interfac\$3 or interactive\$2)and (network or internet or wan or lan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 20:58
S13	5	calibrat\$5 and (restandard\$9 or standard or standardize\$1 or standardization\$1)same color near3 (calibrat\$5 and measur\$6) same (users or gui or interfac\$3 or interactive\$2)and (network or internet or wan or lan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 20:59
S14	5	calibrat\$5 and (restandard\$9 or standard or standardize\$1 or standardization\$1)with (color near3 (calibrat\$5 and measur\$6)) same (users or gui or interfac\$3 or interactive\$2)and (network or internet or wan or lan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 21:01
S15	20	calibrat\$5 and (restandard\$9 or standard or standardize\$1 or standardization\$1)with (color near3 (calibrat\$5 and measur\$6)) and (users or gui or interfac\$3 or interactive\$2)and (network or internet or wan or lan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 21:02
S16	4	delta and calibrat\$5 and (restandard\$9 or standard or standardize\$1 or standardization\$1)with (color near3 (calibrat\$5 and measur\$6)) and (users or gui or interfac\$3 or interactive\$2)and (network or internet or wan or lan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 21:06

S17	2539	"color measurement"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 21:06
S18	51	"color measurement" near4 (transform\$7 or conver\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 21:07
S19	4	"color measurement" near4 (transform\$7 or conver\$5 or delta)with calibrat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 21:07
S20	1	"color measurement" near4 (transform\$7 or conver\$5 or delta)with calibrat\$5 near3 (multi or multiple or second)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 21:08
S21	1	"color measurement" near4 (transform\$7 or conver\$5 or delta)with calibrat\$5 with (multi or multiple or second)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 21:08
S22	2	"color measurement" with (transform\$7 or conver\$5 or delta)with calibrat\$5 with (multi or multiple or second)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 21:09
S23	2	"color measurement" same (transform\$7 or conver\$5 or delta)with calibrat\$5 with (multi or multiple or second)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 21:09
S24	29087	"color measurement" same (transform\$7 or conver\$5 or delta)samne calibrat\$5 with (multi or multiple or second)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 21:09
S25	2	"color measurement" same (transform\$7 or conver\$5 or delta)same calibrat\$5 with (multi or multiple or second)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 21:09
S26	12	"color measurement" same (transform\$7 or conver\$5 or delta)same calibrat\$5 same((multi or multiple) or (first and second))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 21:10

S27	13	"color measurement" same (transform\$7 or conver\$5 or delta)same (standard or standardization or standardiz\$3 or calibrat\$5) same((multi or multiple) or (first and second))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 21:11
S28	2	"color measurement" same (transform\$7 or conver\$5 or delta)same (standard or standardization or standardiz\$3 or calibrat\$5) near3((multi or multiple) or (first and second))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 21:11
S29	2	"color measurement" same (transform\$7 or conver\$5 or delta)same (standard or standardization or standardiz\$3 or calibrat\$5) near13((multi or multiple) or (first and second))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 21:11
S30	2	"color measurement" same (transform\$7 or conver\$5 or delta)same (standard or standardization or standardiz\$3 or calibrat\$5) with((multi or multiple) or (first and second))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 21:11
S31	13	"color measurement" same (transform\$7 or conver\$5 or delta)same (standard or standardization or standardiz\$3 or calibrat\$5)same((multi or multiple) or (first and second))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 21:11
S32	42	("2790844" "4500919" "4839829" "4939581" "4987496" "5107332" "5109275" "5115229" "5182721" "5185673" "5200816" "5231481" "5272518" "5309257" "5319437" "5345315" "5394204" "5432906" "5465111" "5512961" "5561459" "5821917").PN. OR ("6157735").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/10 21:13
S33	977	"42" and S17	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/10 21:13
S34	6	S32 and S17	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/10 21:14

S35	6	S32 and S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 21:14
S36	6	S32 and (S27 or S17)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 21:14
S37	6	S32 and (S27 or S17 or S6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 21:15
S38	6	S32 and (S27 or S17 or S6 or S18)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 21:15
S39	7	S32 and (S27 or S17 or S6 or S18 or S2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 21:15
S40	2	S32 and (S27 or S17 or S6 or S18 or S2)and (network or internet or wan or lan)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 21:17
S41	2	S32 and (S27 or S17 or S6 or S18 or S2)and (network or internet or wan or lan)and (delta or transform\$6 or conver\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 21:17
S42	2	S32 and (S27 or S17 or S6 or S18 or S2)and (network or internet or wan or lan)and (delta or transform\$6 or conver\$5)and color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 21:18

S43	2	S32 and (S27 or S17 or S6 or S18 or S2)and (network or internet or wan or lan)and (delta or transform\$6 or conver\$5)and color and measur\$7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 21:18
S45	1	S32 and (S27 or S17 or S6 or S18 or S2)and (network or internet or wan or lan)and (delta or transform\$6 or conver\$5)and color and measur\$7 and calibrat\$5 and profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 21:19
S46	1	S32 and (S27 or S17 or S6 or S18 or S2)and (network or internet or wan or lan)and (delta or transform\$6 or conver\$5)and color and measur\$7 and calibrat\$5 and profile and colorimet\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 21:19
S47	27	"5739809"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 15:42
S48	25	"5428720"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 15:42
S49	8	"5680333"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 15:42
S50	78	"5751965"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 15:42
S51	4	"6036317"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 15:43
S52	15	"6034894"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 15:43

S53	12	"6338030"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 15:43
S54	2	"6439722"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 15:43
S55	168	S47 or S48 or S49 or S50 or S51 or S52 or S53 or S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 15:44
S56	268	S47 or S48 or S49 or S50 or S51 or S52 or S53 or S54 or "5272518" or "6559425"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 15:51
S57	108	(network\$4 or lan or wan)and S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 15:53
S58	0	color near3 (calibtrat\$5) and S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 15:52
S59	0	color near10 (calibtrat\$5) and S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 15:52
S60	0	color same (calibtrat\$5) and S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 15:52
S61	0	(calibtrat\$5) and S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 15:52
S62	0	(calibtrat\$5) and S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 15:52

S63	10	(calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 15:53
S64	70	color near3 (calibrat\$5) and S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 15:53
S65	144	(network\$4 or lan or wan)and S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 15:53
S66	70	color near3 ((measur\$6 or calibrat\$5 or specttograph\$6) and (transform\$6 or standard or standardiz\$6)) and S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 15:59
S67	70	color near3 ((measur\$6 or calibrat\$5 or specttograph\$6) and (transform\$6 or standard or standardiz\$6 or delta)) and S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 15:59
S68	4	color near3 ((measur\$6 or calibrat\$5 or specttograph\$6) and (transform\$6 or standard or standardiz\$6 or delta)) and S56 and delta	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 15:59
S69	5	color near3 ((measur\$6 or calibrat\$5 or specttograph\$6) and (transform\$6 or standard or standardiz\$6 or delta or profile\$1)) and S56 and delta	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:00
S70	5	color near3 ((measur\$6 or calibrat\$5 or specttograph\$6) and (transform\$6 or standard or standardiz\$6 or delta or profile\$1 or gamut)) and S56 and delta	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:00
S71	76	color near3 ((measur\$6 or calibrat\$5 or specttograph\$6) and (transform\$6 or standard or standardiz\$6 or delta or profile\$1 or gamut)) and S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:00
S72	0	color near3 ((measur\$6 or calibrat\$5 or specttograph\$6) and (transform\$6 or standard or standardiz\$6 or delta or profile\$1 or gamut)) and S56 and delta near3 profile\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:00

S73	0	S56 and delta near3 profile\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:01
S74	44	delta adj profile\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:01
S75	0	delta adj profile\$1 and S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:01
S76	0	delta adj profile\$1 and S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:01
S77	1	delta adj profile\$1 and "345"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:04
S78	0	delta adj profile\$1 and "340"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:02
S79	0	delta adj profile\$1 and "348"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:02
S80	0	delta adj profile\$1 and "386"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:02
S81	2	delta adj profile\$1 and "382"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:02
S82	0	delta adj profile\$1 and "358"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:02

S83	1	delta adj profile\$1 and "345"/\$. ccls. and data adj transform\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:04
S84	1	delta adj profile\$1 and "345"/\$. ccls. and data adj transform\$7 and color adj calibrat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:05
S85	1	delta adj profile\$1 and "345"/\$. ccls. and data adj transform\$7 and color adj calibrat\$6 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:05
S86	1265	(delta adj profile\$1 or data adj transform\$7 or color adj calibrat\$6) same (first and second)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:06
S87	165	(delta adj profile\$1 or data adj transform\$7 or color adj calibrat\$6) near3 (first and second)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:06
S88	172	color near3 measur\$6 with(users or gui or interfac\$3 or interactive\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:09
S89	73	color near3 measur\$6 with(users or gui or interfac\$3 or interactive\$2)and (network or internet or wan or lan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:09
S90	2572	"color measurement"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:09
S91	52	"color measurement" near4 (transform\$7 or conver\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:09
S92	13	"color measurement" same (transform\$7 or conver\$5 or delta)same (standard or standardization or standardiz\$3 or calibrat\$5) same((multi or multiple) or (first and second))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:09

S93	42	("2790844" "4500919" "4839829" "4939581" "4987496" "5107332" "5109275" "5115229" "5182721" "5185673" "5200816" "5231481" "5272518" "5309257" "5319437" "5345315" "5394204" "5432906" "5465111" "5512961" "5561459" "5821917").PN. OR ("6157735").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/11 16:09
S94	2	S93 and (S92 or S90 or S89 or S91 or S88)and (network or internet or wan or lan)and (delta or transform\$6 or conver\$5)and color and measur\$7 and calibrat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:29
S95	62	color adj laboratory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:33
S96	7	color adj laboratory same (master or server or client)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:30
S97	1	color adj laboratory same (master or server or client)and centroid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:31
S98	1	color adj laboratory and (master or server or client)and centroid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:31
S99	1	color adj laboratory and centroid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:31

S10 0	0	color adj laboratory and spectro adj model	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:33
S10 1	0	color adj laboratory and spectrograph\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:33
S10 2	5	color adj laboratory and color near3 model\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:33
S10 3	5	color adj laboratory and color near3 model\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:33
S10 4	12	("5668633" "5720017" "5740078" "5764386" "5841421" "6043894").PN. OR ("6108095").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/11 16:40
S10 5	9	("5668633" "5720017" "5740078" "5764386" "5841421" "6043894").PN. OR ("6108095").URPN. and (delta or transform\$7 or profile\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/11 16:41
S10 6	9	("5668633" "5720017" "5740078" "5764386" "5841421" "6043894").PN. OR ("6108095").URPN. and (delta or transform\$7 or profile\$1)same color	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/11 16:41
S10 7	11377	network same color	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:49
S10 8	795	network same color near5 (calibrat\$5 or measu\$3 or measurement\$1 or standard\$1 or standardiz\$3 or standardization\$1 o rtemplate or model or models or modeling or profile\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:52

S10 9	8	network same color near5 (calibrat\$5 or measu\$3 or measurement\$1 or standard\$1 or standardiz\$3 or standardization\$1 o rtemplate or model or models or modeling or profile\$1)near2 (first and second)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:55
S11 0	8	network same color near5 (calibrat\$5 or measu\$3 or measurement\$1 or standard\$1 or standardiz\$3 or standardization\$1 o rtemplate or model or models or modeling or profile\$1 or lab or laboratory)near2 (first and second)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:56
S11 1	7	network same color near5 (calibrat\$5 or measu\$3 or measurement\$1 or standard\$1 or standardiz\$3 or standardization\$1 o rtemplate or model or models or modeling or profile\$1 or lab or laboratory)near2 (first and second)near5 color	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:56
S11 2	7	network same color near5 (calibrat\$5 or measu\$3 or measurement\$1 or standard\$1 or standardiz\$3 or standardization\$1 or template or model or models or modeling or profile\$1 or lab or laboratory)near2 (first and second)near5 color	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 17:06
S11 3	24	("4561103" "5309257" "5384859" "5384901" "5579031" "5625766" "5652849" "5721811" "5767980" "5799219" "5828780" "5844542" "5864387" "5923446" "5983369" "5987165" "6014183" "6017157" "6167442" "6252676" "6268930" "6449639" "6516089" "6522418").PN. OR ("6707931").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/11 17:28

S11 4	24	("4561103" "5309257" "5384859" "5384901" "5579031" "5625766" "5652849" "5721811" "5767980" "5799219" "5828780" "5844542" "5864387" "5923446" "5983369" "5987165" "6014183" "6017157" "6167442" "6252676" "6268930" "6449639" "6516089" "6522418").PN. OR ("6707931").URPN. and S108	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/11 17:03
S11 5	3	S113 and S108	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/11 17:03
S11 6	7	aken and color near5 (calibrat\$5 or measu\$3 or measurement\$1 or standard\$1 or standardiz\$3 or standardization\$1 or template or model or models or modeling or profile\$1 or lab or laboratory)near2 (first and second)near5 color	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 17:06
S11 7	7	aken and color near5 (calibrat\$5 or measu\$3 or measurement\$1 or standard\$1 or standardiz\$3 or standardization\$1 or template or model or models or modeling or profile\$1 or lab or laboratory)near5 (first and second)near5 color	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 17:09
S11 8	1	aken and color near5 (calibrat\$5 or measu\$3 or measurement\$1 or standard\$1 or standardiz\$3 or standardization\$1 or template or model or models or modeling or profile\$1 or lab or laboratory)near5 (first and second)near5 color and centroid\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 17:09
S11 9	12	color near5 (calibrat\$5 or measu\$3 or measurement\$1 or standard\$1 or standardiz\$3 or standardization\$1 or template or model or models or modeling or profile\$1 or lab or laboratory)near5 (first and second)near5 color and centroid\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 17:10

S12 0	1	color near5 (calibrat\$5 or measu\$3 or measurement\$1 or standard\$1 or standardiz\$3 or standardization\$1 or template or model or models or modeling or profile\$1 or lab or laboratory)near5 (first and second)near5 color and centroid\$1 near3 (first and second)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 17:10
S12 1	10	color near5 (calibrat\$5 or measu\$3 or measurement\$1 or standard\$1 or standardiz\$3 or standardization\$1 or template or model or models or modeling or profile\$1 or lab or laboratory)near5 (first and second)near5 color and centroid\$1 and (delta or transform\$6 or profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 17:11
S12 2	6	S113 and (select or selecting or selective\$2)near5 color	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/11 17:29
S12 3	6	S113 and (select or selecting or selective\$2)near5 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 17:33
S12 4	43	network same (select or selecting or selective\$2)near5 color same (measur\$6 or calibrat\$5 or standard or standardizing or standardization\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 17:34
S12 5	45	network same (select or selecting or selective\$2)near5 color same (measur\$6 or calibrat\$5 or standard or standardizing or standardization\$1 or manufacture\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 17:35
S12 6	48	(lan or wan or network) same (select or selecting or selective\$2)near5 color same (measur\$6 or calibrat\$5 or standard or standardizing or standardization\$1 or manufacture\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 17:35

S12 7	22	(lan or wan or network) same (select or selecting or selective\$2)near5 color same (measur\$6 or calibrat\$5 or standard or standardizing or standardization\$1 or manufacture\$2)and color near5 (first and second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 17:36
S12 8	38	(lan or wan or network) same (select or selecting or selective\$2)near10 color same (measur\$6 or calibrat\$5 or standard or standardizing or standardization\$1 or manufacture\$2)and color near10 (first and second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 17:37
S12 9	10	(lan or wan or network) same (select or selecting or selective\$2)near10 color same (measur\$6 or calibrat\$5 or standard or standardizing or standardization\$1 or manufacture\$2)and color near10 (first and second) and color near3 (transform\$7 or convert\$3 or conversion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 17:54
S13 0	74	aken and delta	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 17:56
S13 1	3	aken and delta adj profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 18:12
S13 2	2	spectrophotometer\$1 and delta adj profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 18:15
S13 3	40	delta adj profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 18:15

S13 4	1	delta adj profile same (network or remote)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 18:15
S13 5	1	delta adj profile same (network or remote or lan or wan)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 18:16
S13 6	2	delta adj profile same (network or remote or lan or wan or internet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 18:16
S13 7	2	delta adj profile same (network or remote or lan or wan or internet or web)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 18:17
S13 8	1063182	color measure\$5 near5 standard	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 18:18
S13 9	296	color adj measure\$5 near5 standard	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 18:18
S14 0	296	color adj measure\$5 near5 standard	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2005/04/11 18:18
S14 1	20	color adj measure\$5 near5 standard near10 (select or selectects or selected or selective\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2005/04/11 18:20

S14 2	2	color adj measure\$5 near5 standard near10 (select or selectects or selected or selective\$2)near3 (transform\$3 or transformation\$1 or convert\$3 or conversion\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2005/04/11 18:21
S14 3	3	color adj measure\$5 near5 standard near10 (select or selectects or selected or selective\$2)with (transform\$3 or transformation\$1 or convert\$3 or conversion\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2005/04/11 18:22
S14 4	0	color adj (measure\$5 nor standard) near10 (select or selectects or selected or selective\$2)with (transform\$3 or transformation\$1 or convert\$3 or conversion\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2005/04/11 18:23
S14 5	74	color adj (measure\$5 or standard) near10 (select or selectects or selected or selective\$2)with (transform\$3 or transformation\$1 or convert\$3 or conversion\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2005/04/11 18:23
S14 6	0	color adj (measure\$5 or standard) near10 (select or selectects or selected or selective\$2)with (transform\$3 or transformation\$1 or convert\$3 or conversion\$1)same (manufacture42)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2005/04/11 18:23
S14 7	2	color adj (measure\$5 or standard) near10 (select or selectects or selected or selective\$2)with (transform\$3 or transformation\$1 or convert\$3 or conversion\$1)same (manufacture2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2005/04/11 18:23
S14 8	73	color adj (measure\$5 or standard) near10 (select or selectects or selected or selective\$2)with (transform\$3 or transformation\$1 or convert\$3 or conversion\$1)same (manufacture\$2 or standard)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2005/04/11 18:24
S14 9	3	(calibration or calibrat\$3)same color adj (measure\$5 or standard) near10 (select or selectects or selected or selective\$2)with (transform\$3 or transformation\$1 or convert\$3 or conversion\$1)same (manufacture\$2 or standard)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2005/04/11 18:25

S15 0	5	"6459425" and color adj measure\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 18:38
S15 1	3	"6459425" and color adj measure\$6 and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 18:38
S15 2	3	"6459425" and color adj measure\$6 and internet and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 18:39
S15 3	3	"6459425" and (select\$3 or selective\$2)same color adj measure\$6 and internet and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 18:39
S15 4	3	"6459425" and (select\$3 or selective\$2)same color adj measure\$6 and internet and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 18:39
S15 5	105715	"6459425" and (select\$3 or selective\$2)same color near S51 (calibrat\$5 or standard or standardiz\$3 or standardization\$1 or measure\$6) and internet and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 18:41
S15 6	3	"6459425" and (select\$3 or selective\$2)same color near5 (calibrat\$5 or standard or standardiz\$3 or standardization\$1 or measure\$6) and internet and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 18:41
S15 7	0	"6459425" and (select\$3 or selective\$2)same color near5 (calibrat\$5 or standard or standardiz\$3 or standardization\$1 or measure\$6) same (internet and network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 18:41
S15 8	3	"6459425" and (select\$3 or selective\$2)same color near5 (calibrat\$5 or standard or standardiz\$3 or standardization\$1 or measure\$6) and (internet and network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 18:41

S15 9	0	"6459425" and (internet and network)same(select\$3 or selective\$2)same color near5 (calibrat\$5 or standard or standardiz\$3 or standardization\$1 or measure\$6) and (internet and network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 18:42
S16 0	5	(internet and network)same(select\$3 or selective\$2)same color near5 (calibrat\$5 or standard or standardiz\$3 or standardization\$1 or measure\$6) and (internet and network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 18:43
S16 1	39	(internet or network)same(select\$3 or selective\$2)same color near5 (calibrat\$5 or standard or standardiz\$3 or standardization\$1 or measure\$6) and (internet and network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 18:43
S16 2	2	"20030035126"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 18:52
S16 3	0	"20030035126" and centroid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 18:52
S16 4	0	"20030035126" and colorimeter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 18:52
S16 5	0	"20030035126" and spectro\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 18:53
S16 6	0	"6351308" and centroid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 18:53
S16 7	0	"6157469" and centroid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 18:53

S16 8	0	"6459425" and centroid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 18:54
S16 9	0	"6108095" and centroid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 18:54
S17 0	1	"6043894" and centroid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 18:54
S17 1	0	"6707931" and centroid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 18:55
S17 2	0	"5923446" and centroid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 18:55
S17 3	0	"6507824" and centroid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 18:55
S17 4	0	"6768814" and centroid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 18:55
S17 5	50	color adj measure\$6 and centroid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 18:55
S17 6	3	color adj measure\$6 same centroid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 18:56
S17 7	151	color near3 (calibrat\$5 or match\$3 or standard or standardiz\$3 or standradization\$1 or measure\$6)same centroid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 18:57

S17 8	3	color near3 (calibrat\$5 or match\$3 or standard or standardiz\$3 or standradization\$1 or measure\$6)same centroid same (internet or network or lan or wan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 18:58
S17 9	4	color near3 (calibrat\$5 or match\$3 or standard or standardiz\$3 or standradization\$1 or measure\$6)same centroid same (select or selective\$3 or slecting or internet or network or lan or wan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 19:00
S18 0	4	color near5 (calibrat\$5 or match\$3 or standard or standardiz\$3 or standradization\$1 or measure\$6)same centroid same (select or selective\$3 or slecting or internet or network or lan or wan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 19:01
S18 1	4	color near15 (calibrat\$5 or match\$3 or standard or standardiz\$3 or standradization\$1 or measure\$6)same centroid same (select or selective\$3 or slecting or internet or network or lan or wan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 19:01
S18 2	1	color near15 (calibrat\$5 or match\$3 or standard or standardiz\$3 or standradization\$1 or measure\$6)same centroid same (select or selective\$3 or slecting) and (internet or network or lan or wan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 19:02
S18 3	3	color near15 (calibrat\$5 or match\$3 or standard or standardiz\$3 or standradization\$1 or measure\$6)same centroid same (internet or network or lan or wan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 19:02
S18 4	1	(select or selective\$3 or slecting) same color near15 (calibrat\$5 or match\$3 or standard or standardiz\$3 or standradization\$1 or measure\$6)same centroid same (internet or network or lan or wan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 19:02
S18 5	3	color near15 (calibrat\$5 or match\$3 or standard or standardiz\$3 or standardization\$1 or measure\$6)same centroid same (internet or network or lan or wan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 19:03

S18 6	0	"6707931" and centroid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 19:04
S18 7	0	"6108095" and centroid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 19:04
S18 8	4	aken and centroid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 19:05
S18 9	65	color near10 centroid same (calibrat\$5 or measur\$3 or measurement\$1 or match\$3 or standardiz\$3 or standardization)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 19:06
S19 0	0	color near10 centroid same (calibrat\$5 or measur\$3 or measurement\$1 or match\$3 or standardiz\$3 or standardization)and colorimetr\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 19:07
S19 1	6644	color near10 centroid same (calibrat\$5 or measur\$3 or measurement\$1 or match\$3 or standardiz\$3 or standardization)and (spectrophoto\$8)colorimetr\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 19:07
S19 2	4	color near10 centroid same (calibrat\$5 or measur\$3 or measurement\$1 or match\$3 or standardiz\$3 or standardization)and (spectrophoto\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 19:08
S19 3	1	color near10 centroid same (calibrat\$5 or measur\$3 or measurement\$1 or match\$3 or standardiz\$3 or standardization)same (spectrophoto\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 19:07
S19 4	1	color near10 centroid same (calibrat\$5 or measur\$3 or measurement\$1 or match\$3 or standardiz\$3 or standardization)and color same (spectrophoto\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 19:07

S19 5	25	color near10 centroid same (calibrat\$5 or measur\$3 or measurement\$1 or match\$3 or standardiz\$3 or standardization)and calibrat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 19:08
S19 6	22	color near10 centroid same (calibrat\$5 or measur\$3 or measurement\$1 or match\$3 or standardiz\$3 or standardization)and calibrat\$5 and measur\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 19:09
S19 7	4	color near10 centroid same (calibrat\$5 or measur\$3 or measurement\$1 or match\$3 or standardiz\$3 or standardization)and calibrat\$5 and measur\$7 and profil\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 19:11
S19 8	65	color adj (calibrat\$5 or measur\$3 or measurement\$1 or match\$3 or standardiz\$3 or standardization)near4 network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 19:12
S19 9	15	(transform or profile)same color adj (calibrat\$5 or measur\$3 or measurement\$1 or match\$3 or standardiz\$3 or standardization)near4 network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 19:34
S20 0	2	(transform or profile)same color adj (calibrat\$5 or measur\$3 or measurement\$1 or match\$3 or standardiz\$3 or standardization)near4 network and colorimeter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 19:35
S20 1	5	(transform or profile)same color adj (calibrat\$5 or measur\$3 or measurement\$1 or match\$3 or standardiz\$3 or standardization)near4 network and spectrophoto\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 19:38
S20 2	0	spectrphotometer and colorimeter and calibrat\$5 and measur\$3 and color	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 19:39
S20 3	533	spectrophotometer and colorimeter and calibrat\$5 and measur\$3 and color	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 19:39

S20 4	4	(centroid and spectrophotometer and colorimeter and calibrat\$5 and measur\$3 and color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 19:49
S20 5	1	(centroid and spectrophotometer and colorimeter and calibrat\$5 and measur\$3 and color)and color adj measur\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 19:50
S20 6	13	(centroid and (spectrophotometer or colorimeter) and calibrat\$5 and measur\$3 and color)and color adj measur\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 19:50
S20 7	10	(color same (centroid and (spectrophotometer or colorimeter) and calibrat\$5 and measur\$3 and color)and color adj measur\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 19:51
S20 8	1	((color and network) same (centroid and (spectrophotometer or colorimeter) and calibrat\$5 and measur\$3 and color)and color adj measur\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 19:51
S20 9	2	((color) same (centroid and (spectrophotometer or colorimeter) and calibrat\$5 and measur\$3 and color)and color adj measur\$7)and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 19:55
S21 0	3	((color) same (centroid and (color near3 measur\$6 or spectrophotometer or colorimeter) and calibrat\$5 and measur\$3 and color)and color adj measur\$7)and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 19:55
S21 1	5	"6459425" and color near10 measur\$6 and colorimeter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 20:07
S21 2	3	"6459425" and color near10 measur\$6 and colorimeter and spectrophotometer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 20:07
S21 3	0	"6459425" and color near10 measur\$6 and colorimeter and spectrophotometer and centroid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 20:07

S21 4	3	"6459425" and color near10 measur\$6 and colorimeter and spectrophotometer and (network or lan or wan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 20:08
S21 5	3	"6459425" and color near10 measur\$6 and colorimeter and spectrophotometer and (network or lan or wan)and (select or select\$3 or selective\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 20:09
S21 6	56	color near3 (measur\$6 or calibrat\$5 or spectrograph\$6) and holub	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 11:59
S21 7	0	color near3 (measur\$6 or calibrat\$5 or spectrograph\$6) and holub and select\$6 and compar\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 12:00
S21 8	45	color near3 (measur\$6 or calibrat\$5 or spectrograph\$6) and holub and (user\$1 or gui or interfac\$3 or interactive\$2 or select\$6) and compar\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 12:01
S21 9	415666	color near3 (measur\$6 or calibrat\$5 or spectrograph\$6) and holub and (user\$1 or gui or interfac\$3 or interactive\$2 or select\$6) (\$6processor\$1) and compar\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 12:01
S22 0	5	color near3 (measur\$6 or calibrat\$5 or spectrograph\$6) and holub and (user\$1 or gui or interfac\$3 or interactive\$2 or select\$6) (\$6processor\$1) and compar\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2005/04/12 12:03
S22 1	5	color near3 (measur\$6 or calibrat\$5 or spectrograph\$6) and holub and (user\$1 or gui or interfac\$3 or interactive\$2 or select\$6) (\$6processor\$1) and compar\$5 and (network\$1 or node\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2005/04/12 12:06
S22 2	7	"6459425" and \$6processor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2005/04/12 12:07

S22 3	6	"6459425" and \$6processor\$3 and (node\$1 or network\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2005/04/12 12:08
S22 4	5	"6459425" and \$6processor\$3 and (node\$1 or network\$1) and color	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2005/04/12 12:08
S22 5	5	"6459425" and \$6processor\$3 and (node\$1 or network\$1) and color and select\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2005/04/12 12:08
S22 6	5	"6459425" and \$6processor\$3 and (node\$1 or network\$1) and color and select\$5 and compar\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2005/04/12 12:44
S22 7	5	"6459425" and \$6processor\$3 and (node\$1 or network\$1) and color and select\$5 and compar\$5 and (store\$2 or storage\$1 or save\$1 or saving)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2005/04/12 13:04
S22 8	5	"6459425" and \$6processor\$3 and (node\$1 or network\$1) and color and select\$5 and compar\$5 and (store\$2 or storage\$1 or save\$1 or saving)and (calibrat\$5 or recalibrat\$5 or re-calibrat\$5 or standard or standardiz\$3 or standardization\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2005/04/12 13:05
S22 9	10	"6459425" and (calibrat\$5 or recalibrat\$5 or re-calibrat\$5 or standard or standardiz\$3 or standardization\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2005/04/12 13:06
S23 0	6	"6459425" and (calibrat\$5 or recalibrat\$5 or re-calibrat\$5 or standard or standardiz\$3 or standardization\$1)same color and compar\$5 and (network\$1 or node\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2005/04/12 13:06
S23 1	4	"6459425" and (calibrat\$5 or recalibrat\$5 or re-calibrat\$5 or standard or standardiz\$3 or standardization\$1)same (color and compar\$5 and (network\$1 or node\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2005/04/12 13:07

S23 2	2	"6459425" and (calibrat\$5 or recalibrat\$5 or re-calibrat\$5 or standard or standardiz\$3 or standardization\$1)same (color and compar\$5 and (network\$1 or node\$1)and \$6processor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2005/04/12 13:08
S23 3	2	"6459425" and (calibrat\$5 or recalibrat\$5 or re-calibrat\$5 or standard or standardiz\$3 or standardization\$1)same (color same compar\$5 and (network\$1 or node\$1)and \$6processor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2005/04/12 13:08
S23 4	2	"6459425" and (calibrat\$5 or recalibrat\$5 or re-calibrat\$5 or standard or standardiz\$3 or standardization\$1)same (color same compar\$5 same (network\$1 or node\$1)and \$6processor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2005/04/12 13:08
S23 5	0	"6459425" and (calibrat\$5 or recalibrat\$5 or re-calibrat\$5 or standard or standardiz\$3 or standardization\$1)same (color same compar\$5 same (network\$1 or node\$1)same \$6processor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2005/04/12 13:08
S23 6	0	"6459425" and (calibrat\$5 or recalibrat\$5 or re-calibrat\$5 or standard or standardiz\$3 or standardization\$1)near15 (color same compar\$5 same (network\$1 or node\$1)and \$6processor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2005/04/12 13:08
S23 7	0	"6459425" and (calibrat\$5 or recalibrat\$5 or re-calibrat\$5 or standard or standardiz\$3 or standardization\$1)near25 (color same compar\$5 same (network\$1 or node\$1)and \$6processor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2005/04/12 13:08
S23 8	0	"6459425" and (calibrat\$5 or recalibrat\$5 or re-calibrat\$5 or standard or standardiz\$3 or standardization\$1)near35 (color same compar\$5 same (network\$1 or node\$1)and \$6processor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2005/04/12 13:09
S23 9	0	"6459425" and (calibrat\$5 or recalibrat\$5 or re-calibrat\$5 or standard or standardiz\$3 or standardization\$1)near55 (color same compar\$5 same (network\$1 or node\$1)and \$6processor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2005/04/12 13:09

S24 0	2	"6459425" and (calibrat\$5 or recalibrat\$5 or re-calibrat\$5 or standard or standardiz\$3 or standardization\$1)same (color same compar\$5 same (network\$1 or node\$1)and \$6processor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2005/04/12 13:09
S24 1	2	"6459425" and (calibrat\$5 or recalibrat\$5 or re-calibrat\$5 or standard or standardiz\$3 or standardization\$1)same (color same compar\$5 same (network\$1 or node\$1)and \$6processor\$3 and (storing or storage\$1 or store\$2 or save\$1 or saving))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2005/04/12 13:11
S24 2	2	"6459425" and (calibrat\$5 or recalibrat\$5 or re-calibrat\$5 or standard or standardiz\$3 or standardization\$1)same (color near5 (measur\$7 or transform\$6 or calibrat\$5 or standardiz\$6) same compar\$5 same (network\$1 or node\$1)and \$6processor\$3 and (storing or storage\$1 or store\$2 or save\$1 or saving))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2005/04/12 13:13
S24 3	2	"6459425" and (calibrat\$5 or recalibrat\$5 or re-calibrat\$5 or standard or standardiz\$3 or standardization\$1)same (color near5 (measur\$7 or transform\$6 or calibrat\$5 or standardiz\$6) same compar\$5 same (network\$1 or node\$1)and \$6processor\$3 and (storing or storage\$1 or store\$2 or save\$1 or saving)and (spectra or spectral or spectrophoto\$6 or colorimeter\$1 or calorimeter\$1 or lumeter\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2005/04/12 13:14
S24 4	5	(calibrat\$5 or recalibrat\$5 or re-calibrat\$5 or standard or standardiz\$3 or standardization\$1)same (color near5 (measur\$7 or transform\$6 or calibrat\$5 or standardiz\$6) same compar\$5 same (network\$1 or node\$1)and \$6processor\$3 and (storing or storage\$1 or store\$2 or save\$1 or saving)and (spectra or spectral or spectrophoto\$6 or colorimeter\$1 or calorimeter\$1 or lumeter\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2005/04/12 13:16

S24 5	10	(calibrat\$5 or recalibrat\$5 or re-calibrat\$5 or standard or standardiz\$3 or standardization\$1)same (color\$1 near5 (measur\$7 or transform\$6 or calibrat\$5 or standardiz\$6) same compar\$5 same (network\$1 or node\$1)and \$6processor\$3 and (storing or storage\$1 or store\$2 or save\$1 or saving)and (color\$1 or spectra or spectral or spectrophoto\$6 or colorimeter\$1 or calorimeter\$1 or lumeter\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2005/04/12 13:19
S24 6	10	(calibrat\$5 or recalibrat\$5 or re-calibrat\$5 or standard or standardiz\$3 or standardization\$1)same (color\$1 near5 (measur\$7 or transform\$6 or calibrat\$5 or standardiz\$6) same compar\$5 same (network\$1 or node\$1)and \$6processor\$3 and (storing or storage\$1 or store\$2 or save\$1 or saving)and (manufactur43 or color\$1 or spectra or spectral or spectrophoto\$6 or colorimeter\$1 or calorimeter\$1 or lumeter\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2005/04/12 15:15
S24 7	9	(calibrat\$5 or recalibrat\$5 or re-calibrat\$5 or standard or standardiz\$3 or standardization\$1)same (color\$1 near5 (measur\$7 or transform\$6 or calibrat\$5 or standardiz\$6) same compar\$5 same (network\$1 or node\$1)and \$6processor\$3 and (storing or storage\$1 or store\$2 or save\$1 or saving)same (measur\$7 or transform\$6 or calibrat\$5 or standardiz\$6)and (manufactur43 or color\$1 or spectra or spectral or spectrophoto\$6 or colorimeter\$1 or calorimeter\$1 or lumeter\$1)and (storing or storage\$1 or store\$2 or save\$1 or saving or memory or disk or disc or cd or floppy))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2005/04/12 15:23

S24 8	2	(calibrat\$5 or recalibrat\$5 or re-calibrat\$5 or standard or standardiz\$3 or standardization\$1)same (color\$1 near5 (measur\$7 or transform\$6 or calibrat\$5 or standardiz\$6) same compar\$5 same (network\$1 or node\$1)and \$6processor\$3 and (storing or storage\$1 or store\$2 or save\$1 or saving)same (measur\$7 or transform\$6 or calibrat\$5 or standardiz\$6)and (manufactur43 or color\$1 or spectra or spectral or spectrophoto\$6 or colorimeter\$1 or calorimeter\$1 or lumeter\$1)and (storing or storage\$1 or store\$2 or save\$1 or saving or memory or disk or disc or cd or floppy)and color adj transformation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2005/04/12 14:33
S24 9	2	(calibrat\$5 or recalibrat\$5 or re-calibrat\$5 or standard or standardiz\$3 or standardization\$1)same (color\$1 near5 (measur\$7 or transform\$6 or calibrat\$5 or standardiz\$6) same compar\$5 same (network\$1 or node\$1)and \$6processor\$3 and (storing or storage\$1 or store\$2 or save\$1 or saving)same (measur\$7 or transform\$6 or calibrat\$5 or standardiz\$6)and (manufactur43 or color\$1 or spectra or spectral or spectrophoto\$6 or colorimeter\$1 or calorimeter\$1 or lumeter\$1)and (storing or storage\$1 or store\$2 or save\$1 or saving or memory or disk or disc or cd or floppy)and color adj transformation and transformation\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2005/04/12 15:14

S25 0	0	(calibrat\$5 or recalibrat\$5 or re-calibrat\$5 or standard or standardiz\$3 or standardization\$1)same (color\$1 near5 (measur\$7 or transform\$6 or calibrat\$5 or standardiz\$6) same compar\$5 same (network\$1 or node\$1)and \$6processor\$3 and (storing or storage\$1 or store\$2 or save\$1 or saving)same (measur\$7 or transform\$6 or calibrat\$5 or standardiz\$6)and (manufactur43 or color\$1 or spectra or spectral or spectrophoto\$6 or colorimeter\$1 or calorimeter\$1 or lumeter\$1)and (storing or storage\$1 or store\$2 or save\$1 or saving or memory or disk or disc or cd or floppy)and color adj transformation and transformation\$1)and centroid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2005/04/12 15:14
S25 1	2	holub and centroid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2005/04/12 15:15
S25 2	2	centroid and (calibrat\$5 or recalibrat\$5 or re-calibrat\$5 or standard or standardiz\$3 or standardization\$1)same (color\$1 near5 (measur\$7 or transform\$6 or calibrat\$5 or standardiz\$6) same compar\$5 same (network\$1 or node\$1)and \$6processor\$3 and (storing or storage\$1 or store\$2 or save\$1 or saving)and (manufactur43 or color\$1 or spectra or spectral or spectrophoto\$6 or colorimeter\$1 or calorimeter\$1 or lumeter\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2005/04/12 15:22
S25 3	1	colorimeter and centroid and (calibrat\$5 or recalibrat\$5 or re-calibrat\$5 or standard or standardiz\$3 or standardization\$1)same (color\$1 near5 (measur\$7 or transform\$6 or calibrat\$5 or standardiz\$6) same compar\$5 same (network\$1 or node\$1)and \$6processor\$3 and (storing or storage\$1 or store\$2 or save\$1 or saving)and (manufactur43 or color\$1 or spectra or spectral or spectrophoto\$6 or colorimeter\$1 or calorimeter\$1 or lumeter\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2005/04/12 15:23

S25 4	4	(calibrat\$5 or recalibrat\$5 or re-calibrat\$5 or standard or standardiz\$3 or standardization\$1)same (color\$1 near5 (measur\$7 or transform\$6 or calibrat\$5 or standardiz\$6) same compar\$5 same (network\$1 or node\$1)and \$6processor\$3 and (storing or storage\$1 or store\$2 or save\$1 or saving)same (measur\$7 or transform\$6 or calibrat\$5 or standardiz\$6)and (manufactur43 or color\$1 or spectra or spectral or spectrophoto\$6 or colorimeter\$1 or calorimeter\$1 or lumeter\$1)and (storing or storage\$1 or store\$2 or save\$1 or saving or memory or disk or disc or cd or floppy))and colorimeter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2005/04/12 15:25
S25 5	4	(calibrat\$5 or recalibrat\$5 or re-calibrat\$5 or standard or standardiz\$3 or standardization\$1)same (color\$1 near5 (measur\$7 or transform\$6 or calibrat\$5 or standardiz\$6) same compar\$5 same (network\$1 or node\$1)and \$6processor\$3 and (storing or storage\$1 or store\$2 or save\$1 or saving)same (measur\$7 or transform\$6 or calibrat\$5 or standardiz\$6)and (manufactur43 or color\$1 or spectra or spectral or spectrophoto\$6 or colorimeter\$1 or calorimeter\$1 or lumeter\$1)and (storing or storage\$1 or store\$2 or save\$1 or saving or memory or disk or disc or cd or floppy))and colorimeter and spectr\$14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2005/04/12 15:30

S25 6	4	(calibrat\$5 or recalibrat\$5 or re-calibrat\$5 or standard or standardiz\$3 or standardization\$1)same (color\$1 near5 (measur\$7 or transform\$6 or calibrat\$5 or standardiz\$6) same compar\$5 same (network\$1 or node\$1)and \$6processor\$3 and (storing or storage\$1 or store\$2 or save\$1 or saving)same (measur\$7 or transform\$6 or calibrat\$5 or standardiz\$6)and (manufactur43 or color\$1 or spectra or spectral or spectrophoto\$6 or colorimeter\$1 or calorimeter\$1 or lumeter\$1)and (storing or storage\$1 or store\$2 or save\$1 or saving or memory or disk or disc or cd or floppy))and colorimeter and spectr\$14 and color adj standard\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2005/04/12 15:30
----------	---	---	---	------	-----	------------------